



# Skyways Healthcare Pvt. Ltd.

(AN ISO 9001:2008 & GMP CERTIFIED CO.)

## **SUCCESSFUL STATUS ABOUT US WHAT WE HAVE ACHIEVED SO FAR**

WE **SKYWAYS HEALTHCARE PVT. LTD** (AN ISO 9001:2008 & GMP Certified Co.) Are well known manufacture, supplier and trader of pharmaceutical products. Our wide range of pharmaceutical product includes Antibiotics, Analgesics, PPI, calcium supplements, Anti- Allergic, Anti-cold, Cough Syrups, Antacids, Enzymes, Ayurvedic range. These products are formulated by using high-quality raw material in a hygienic and clean environment. Hence, our medicines are widely acclaimed in the industry for the purity, accurate composition and effective results.



### **QUALITY CONTROL :**

- We are committed to delivering high quality products and services.
- We encourage skill development through learning, leadership and monitoring.
- Our employee are motivating and committed people.
- We measure performance and strive for continual improvement seeking better way to do business.
- We select product and business partners that confirm to the highest international standard.
- We recognize and reward high standard of performance.
- We manufacture all our products at ISO 9001:2008 and WHO-GMP Certified plants.

### **OUR STRENGTH :**

- Modern infrastructure confirming to GMP standards
- Emphasis on quality production of medicines.
- Strong Formulations development base.
- Strong managerial team with pharmaceuticals background.
- Strong Distribution Channel.





RESTORE THE FLEXIBILITY OF THE BODY

# Aceflam<sup>MR</sup>

Aceclofenac 100 mg, Paracetamol 325 mg & Chlorzoxazone 250 mg Tablets

## Aceflam<sup>P</sup>

Aceclofenac 100 mg & Paracetamol 325 mg Tablets  
Aceclofenac 50 mg & Paracetamol 125 mg Suspension

## Aceflam<sup>SR</sup>

Aceclofenac 200mg Sustained Release Tablets

- Combination with extra factor - Muscle Relaxant.
- Combination Provides enhanced analgesic, anti-inflammatory & antipyretic action.
- Multiple mode of action ensure better relief from the symptoms.
- Also acts rapidly on localized inflammation.
- Chlorzoxazone - Centrally acting muscle relaxant that relieves muscle spasm

## Aceflam<sup>SP</sup>

Aceclofenac 100 mg, Paracetamol 325 mg & Serratiopeptidase 15 mg Tablets

## Aceflam<sup>GEL OIL</sup>

Diclofenac Diethylamine, Linseed Oil, Methyl Salicylate & Menthol Gel

Ayurvedic Pain Massage Oil/Capsules

- \* Acute Muscle Spasm
- \* Low Back Pain
- \* Muscular Cramp
- \* Traumatic Injury





DRAIN OUT THE  
UTERINE PROBLEMS

# ACORDIAL

Ayurvedic Uterine Tonic

- ▲ Stimulates ovarian function.
- ▲ Maintains optimum hemoglobin level.
- ▲ Reduces abnormal inflammation of uterine tissue.
- ▲ Helps in restoring and maintaining the cyclical rhythm of menstrual cycle.

SUGAR  
*free*

**\* Dysmenorrhoea \* Menorrhagia \* Leucorrhoea**  
**\* Pre-Menopausal Complications**







GUARD STOMACH AGAINST  
EXCESSIVE ACID EXPOSURE

# AMALCID

Magaldrate 400 mg, Simethicone & Sorbitol Base 70% q.s. Syrup

## Magaldrate

Absorbs and neutralizes acid  
Relief typically occurs within 4 to 15 minutes  
Relieves acid indigestion and heart burn  
Free of alkalization and acid rebound effect

## Simethicone

Possesses antifoaming and anti-bloating effect.  
Relieves gas due to heartburn, Indigestio

- \* **GASTRITIS**
- \* **HYPER ACIDITY**
- \* **HEARTBURN**
- \* **ADJUVANT TO  
NSAID & ANTIBIOTICS**





DROP DOWN THE RATE OF  
**INFECTION**

**AZIGET** **250  
500**

Azithromycin 250 mg & 500 mg **Tablets**

**AZIGET** **100  
200**

Azithromycin 100/200 mg **Suspension**

- ▶ More potent against gram-negative organisms.<sup>1</sup>
- ▶ Decreases the incidence of exacerbations of COPD.<sup>2</sup>
- ▶ Provides short-duration & high-compliance regimen that improves outcomes.<sup>1</sup>
- ▶ Shows very good record of safety.<sup>3</sup>
- ▲ **Acute Bacterial Sinusitis**
- ▲ **Community-acquired Pneumonia**
- ▲ **Acute Bacterial Exacerbations of COPD**
- ▲ **Genital Ulcer Disease**
- ▲ **Urethritis/Cervicitis**
- ▲ **Skin and Skin Structure Infections**

1. Infect Dis Obstet Gynecol. 1996; 4(4):215-220  
2. Int. J Chron Obstruct Pulmon Dis. Dec. 2008; 3(4):515-520  
3. Pharmacol Ther. 2014 Aug; 143(2):225-45





**STRIKE OUT INFECTION**  
THE SAFE & SURESHOT WAY

**CEFIGET** <sup>200LB</sup>  
<sup>100DT</sup>  
<sup>50 D/S</sup>

Cefixime 200 mg with Lactic Acid Bacillus **Tablets**

Cefixime 100 mg Dispersible **Tablets**

Cefixime 50 mg/5 ml **Dry Syrup**

**CEFIGET-AZ**

Cefixime 200 mg & Azithromycin 250 mg **Tablets**

**CEFIGET** <sup>CV</sup><sub>0</sub>

Cefixime 200/50 mg & Clavulanate Potassium 125/31.25 mg **Tablets/Dry Syrup**  
Cefixime 50/200 mg & Ofloxacin 50/200 mg **Syrup /Tablets**

- Broad spectrum antibiotic with activity both gram positive and gram negative organisms.
- Highly stable in the presence of beta-lactamase enzymes.
- More active than Co-trimoxazole against providencia stuartii, proteus vulgaris and Klebsiella species.
- Prime choice for switch therapy owing to its very good efficacy and safety profile.
- Lower MIC other Cephalosporin.

The efficacy and safety of Cefixime administered once daily compared favourably with Trimethoprim/  
Sulphamethoxazole administered twice daily for acute urinary tract infection.

Pediatr Infect Dis J. 1992 Oct; 11 (10):821

**\* First Choice in Multi-Drug Resistant S.Typhi**  
**\* Urinary Tract Infections \* Respiratory Tract Infections**  
**\* Enteric Fever \* Typhoid Fever \* Switch Therapy**







WHEN STRONG ACTION IS REQUIRED.....

# CEFROZE S 1.5

Cefoperazone 1000 mg & Sulbactam 500 mg **Injection**

## CEFOPERAZONE

Effective against a wide range of aerobic & anaerobic gram-positive and gram-negative bacteria.


Used to treat serious infections, particularly against susceptible Enterobacteriaceae

## SULBACTAM

Increase the antibacterial activity of cefoperazone against b-lactamase producing organisms

- \* SKIN & SOFT TISSUE INFECTION \* ABDOMINAL CAVITY INFECTION
- \* BONE & JOINT INFECTIONS \* RESPIRATORY TRACT INFECTION
- \* SEPTICAEMIA & PNEUMONIA \* MENINGITIS & SINUSITIS





A VERSATILE STEROID WITH  
WIDE COVERAGE

**DEFLART** **6**  
**30**

Deflazacort 6/30 mg **Tablets**

Deflazacort 6 mg **Suspension**

- Negligible effect on bone mineral density.
- No effect on blood glucose level, minimal weight gain.
- Minimal mineralocorticoid activity.
- Suitable for long term treatment of various chronic inflammatory disorders.

✓ **Severe Asthma**      ✓ **Osteoarthritis**  
✓ **Rheumatoid Arthritis**





WHEN JOINT REQUIRE ALMOST CARE

# DICIN-G

Diacerein 50 mg, Glucosamine 446 mg, Potassium Chloride 750 mg  
& Methyl Sulfonyl Methane 250 mg **Tablets**

- ▴ Slows Progression of Osteoarthritis.
- ▴ Eases Osteoarthritis and joint pain.
- ▴ Rejuvenates synovial fluid.
- ▴ Promotes healthy and flexible joints.
- ▴ Lubricates joints.

**\* OSTEOARTHRITIS \* RHEUMATOID DISORDERS**







PAIN MANAGEMENT REDEFINED WITH PERFECTION

# DICLO<sup>SP</sup>

Diclofenac Potassium 50 mg, PCM 325 mg & Serratiopeptidase 15 mg **Tablets**

# DICLO<sup>S</sup>

Diclofenac Potassium 50 mg & Serratiopeptidase 10 mg **Tablets**

# DICLO<sup>P</sup>

Diclofenac Potassium 50 mg & PCM 325 mg **Tablets**

# DICLO<sup>MR</sup>

Diclofenac Potassium 50 mg, PCM 325 mg & Chlorzoxazone **Tablets**

# DYPIN

Diclofenac Potassium 75 mg **Injection**

### Diclofenac Potassium

- ▲ Possesses rapid onset of action 15 minutes.
- ▲ Inhibits Cox enzyme & prostaglandin synthesis faster than Diclofenac Sodium
- ▲ Relieves the pain, tenderness, inflammation, stiffness & swelling Serratiopeptidase.

### Serratiopeptidase

- ▲ Potent anti-inflammatory agent.
- ▲ Speeds up the tissue repair and healing.

### Paracetamol

- ▲ Times tested and trusted analgesic.
- ▲ Gentle on various parameters.
- ▲ Works in synergy with diclofenac.

- ▲ Pain & Inflammation
- ▲ Back Pain
- ▲ Sprains Strains
- ▲ Tendonitis/Bursitis
- ▲ Neck/Shoulder Pain





RELAX THE TWISTED SMOOTH MUSCLES

# DROKIND•M

Mefenamic Acid 250 mg & Drotaverine 80 mg **Tablets**

## DROKIND•DS

Drotaverine 80 mg **Dispersible Tablets**

## DROKIND

Drotaverine 40 mg **Injection**

**MEFENAMIC ACID** : Represents a rational therapy for treatment of primary dysmenorrhea.<sup>1</sup>

**DROTAVERINE** : Exhibits anti-spasmodic activity without anti-muscarinic adverse effects.<sup>2</sup>

**EFFECTS OF COMBINATION** : More effective in relieving pain during hysteroscopy and endometrial biopsy as compared with paracervical block and intravenous sedation.<sup>3</sup>

**\* PELVIC INFLAMMATORY DISEASE**

**\* DYSMENORRHOEA \* POST SURGICAL UTERINE SPASM \* GASTRO-INTESTINAL/RENAL COLIC/BILIARY COLIC**

**\* UTERINE IRRITABILITY AND PAIN ASSOCIATED WITH \* IUCD INSERTION \* DILATATION AND CURETTAGE**

1. Int. J Gynaecol Obstet, 1980; 18(3):172-5    2. Anesth Pain Med. Feb. 2014; 4(1):e16222    3. Indian J Med. Sci. 2009 Jun; 63(6):244-52





MEET THE CHALLENGES OF  
MIXED INFECTIONS

# ECLOBATE GM

Clobetasol Propionate 0.05%w/w, Neomycin Sulphate 2% w/w &  
Miconazole Nitrate 0.1% w/w **Cream**

- ▲ Clobetasol exerts potent anti-inflammatory & antipruritic action.
- ▲ Neomycin offers the bactericidal action.
- ▲ Micronazole act like fungicidal at higher concentration.

**\* PRURITUS & INFLAMMATION \* BACTERIAL INFECTIONS**  
**\* FUNGAL INFECTIONS \* DERMATOSES \* MIXED INFECTIONS OF SKIN**  
**\* ECZEMA PATIENTS WITH SKIN INFECTIONS**







WHEN FIRST LINE OF DEFENSE IS  
ATTACKED JOINTLY

# ECLODERM PLUS

Ofloxacin, Ornidazole, Terbinafine & Clobetasol Propionate **Cream**

## ECLODERM

Beclomethasone Dipropionate 0.025% w/w, Clotrimazole 1% w/w  
& Neomycin Sulphate 0.5% w/w **Cream**

COMBATING THE JOINT ATTACK

**Ofloxacin & Ornidazole** ➡ Kills the bacteria that infect inflamed skin.

**Terbinafine HCl.** ➡ Inhibits most fungi.

**Clobetasol Propionate** ➡ Inhibits prostaglandins and leukotrienes.

**\* Eczematous Wounds \* Scalp Psoriasis**

**\* Pruritus Vulvae \* Dermatitis \* Diabetic Wound Infections**





IN SERIOUS INFECTIONS, THAT DO NOT  
ALLOW SOME MORE TIME

**ESSMOX-CV** 375  
625

Amoxicillin 250/500 mg & Clavulanic Acid 125 mg **Tablets**

**ESSMOX** **ESSMOX** 250  
500

Amoxicillin 200 mg & Clavulanate Potassium 28.5 mg./5 ml. (with WFI) **Syrup**

Amoxicillin 250/500 mg **Capsules**

- Provides Potent broad spectrum of antibacterial activity, coverage of beta-lactamase-producing Pathogens.<sup>1</sup>
- More efficiency eradicates beta-lactamase-producing strains & S.Pneumoniae strains.<sup>2</sup>
- Excellent clinical activity in pharyngotonsillitis.<sup>3</sup>

*SUGAR  
free*

**\* SKIN & SOFT TISSUE INFECTIONS \* BONE & JOINT INFECTIONS**  
**\* UPPER RESPIRATORY TRACT INFECTIONS \* GENITO-URINARY TRACT INFECTIONS**  
**\* INTRA-ABDOMINAL SEPSIS \* LOWER RESPIRATORY TRACT INFECTIONS**

1. J Antimicrob Chemother. 2004 Jan; 53 Suppl 1:i3-20.

2. Clin Pharmacokinet. 2005;44(11):1097-115

3. Clin Ther. 2006 Jan; 28(1):99-109.







Lubricant Dry Eyes With Care

# Ezee Eye

Carboxymethylcellulose Sodium 0.5 w/v &  
Oxychloro Complex 0.005% w/v **Eye Drops**

- Viscosity enhancer resulting in increasing the retention time.
- Restores moisture and lubricates dry eyes similar to normal tears.
- Protects immediate, long lasting relief.
- Protects the eyes from dryness and irritation.

## Indication

**Used as a lubricant to relieve irritation and discomfort due to dryness of the eye or due to exposure to wind or sun.**

## Dosage

**Instill 1 drop in the affected eye(s) 4 times a day or as needed.**







TO KEEP HEALTHY SMILES  
ALWAYS ON .....

# Ezifresh Mouth Wash

Chlorhexidine Mouthwash IP, Sodium Fluoride & Zinc Chloride **Mouth Wash**  
**Herbal Mouth Wash**

- ✓ Potent antibacterial agent that inhibits the formation of dental plaque.
- ✓ Reduces gingivitis inflammation and bleeding.
- ✓ Maintains oral hygiene.

Chlorhexidine mouth rinse showed maximum reduction in mutans streptococcus count compared to sodium Fluoride & Triclosan mouth rinse.

► **GINGIVITIS** ► **DENTURE STOMATITIS** ► **ORAL THRUSH**





For energizing & Refereshing Energy

# ***Fitplus***

(Lemon & Orange Flavour) **Energy Drink (Powder)**

# ***Fitlyte***

Oral Rehydration Salt (**Tangy Orangeflavour**)

- Improves circulation & help to get more workouts.
- Reduces inflammation & the risk of development diseases.
- Helps the body to remove toxins
- Supports cardiovascular health
- Supports immune system health & boost stamina & energy
- Promotes healthy bones
- An instant source of energy for revitalization.

## **Indication**

- \* **Sports**
- \* **Exercise**
- \* **Diarrhoea**
- \* **High Fever**
- \* **Severe Infection**





IN FUNGAL INFECTIONS YOU CAN SEE  
THE RESULTS YOURSELF

**FLUKOS** **150**  
**200**

Fluconazole 150/200 mg **Tablet**

**A Hard Hitting Anti Fungal**

- ▲ Antifungal agent with unique pharmacokinetic properties.<sup>1</sup>
- ▲ Reduces rate of recurrence of vulvovaginal candidiasis.<sup>2</sup>
- ▲ Better than itraconazole in acute vaginal candidiasis.<sup>3</sup>
- ▲ Better tolerated than other oral anti-fungals in treatment of tinea pedis.<sup>4</sup>

**\* Vaginal Candidiasis \* Tinea Infections**  
**\* Onychomycosis \* Trichomoniasis**

1. Diagn Microbiol Infect Dis. 1989 Jul-Aug; 12 (4 Suppl): 229S-233S  
2. Eur J Obstet Gynecol Reprod Biol. 2013 Apr; 167(2): 132-6

3. Eur J Obstet Gynecol 2003 Feb 10; 106(2):193-7  
4. Clinical and Experimental Dermatolog. 17(6). 402-406







ACT ON DIABETES NOW

**GLUWAY**<sup>MP1</sup><sub>MP2</sub>

Metformine SR 500 mg + Glimipride 1/2 mg + Pioglitazone 15 mg **Tablets**

3 IN ONE THERAPY FOR AGGRESSIVE GLYCEMIC CONTROL

Triple oral antidiabetic therapy is approved by FDA for  
treatment of type II diabetes.

Offers better glycemic control when monotherapy or two  
drugs combinations fails.

Greater proportion of triple drug achieves A1c goals.

Prevents the long-term complications associated with type 2 diabetes.

Improved patient compliance.

**Type 2 diabetes not responding to single or dual therapy**





FOR TYPE-II DIABETES & IN NEWLY  
DIAGNOSED CASES

# GLYCOWIN-M

Gliclazide 80 mg & Metformin 500 mg Tablets

**GLICLAZIDE :**

Restores early peak insulin secretion.  
Ensures glycemic control throughout 24 hrs.  
without hypoglycemia.  
Increases fibrinolytic activity, normalizing  
prostaglandin metabolism, scavenges free radicals.

**METFORMIN :**


Increases peripheral insulin sensitivity.  
Does not increase basal or meal  
induced insulin secretion.  
Reduces hepatic glucose production.

**\* The most prescribed combination  
of oral agents for Non-insulin-  
dependent diabetes mellitus (NIDDM)  
Diabetes in elderly patients**

**\* Diabetes with vascular Complication**

**\* Diabetes with or without obesity**





INTRODUCING THE MOST  
CARING IRON THERAPY

# IROWXT

Ferrous Ascorbate 100 mg, Folic Acid 1.5 mg & Zinc 22.5 mg **Tablets**  
Ferrous Ascorbate 30 mg & Folic Acid 550 mcg **Syrup**



- ▲ World's most recommended reference iron.
- ▲ Maximum absorption from intestine ensure better results compared to conventional agents.
- ▲ Provides fast rise in the haemoglobin level.
- ▲ Minimises the chances of GI related adverse events.

**\* Iron Deficiency Anemia \* Pregnancy Lactation**  
**\* Menorrhagia Generalised \* Weakness Haemorrhage**







IN BACTERIAL INFECTIONS  
A SUPPORTING HAND FOR CONFIRMED VICTORY

# LEVOGET 500

Levofloxacin 500 mg **Tablets**

# LEVOGET OZ

Levofloxacin 250 mg & Ornidazole 500 mg **Tablets**

- Broad spectrum antibiotic.
- Active against both gram positive and gram negative organisms.
- FDA approved for the treatment of nosocomial infection.

**\* ACUTE SINUSITIS \* URINARY TRACT INFECTION \* GONOCOCEAL INFECTION**  
**\* SKIN & SOFT TISSUE INFECTION \* COMMUNITY ACQUIRED PNEUMONIA**  
**\* ACUTE EXACERBATION OF CHRONIC BRONCHITIS**





BREATHE EASY

**LEVOWAY** <sup>M</sup>/<sub>MKID</sub>

Montelukast Sodium 10/5 mg. & Levocetirizine Dihydrochloride 5/2.5 mg. **Tablets/Suspension**

**LEVOWAY** ▶ **AM**

Levocetirizine Dihydrochloride 5 mg & Ambroxol 60 mg **Tablets**

**LEVOWAY** ▶ **5**      **LEVOWAY** ▶ **FX**

Levocetirizine Dihydrochloride 5 mg **Tablets**

Montelukast 10 mg & Fexofenadine Hydrochloride 120 mg **Tablets**

### **Montelukast**

Reduces Bronchoconstriction and airway obstruction.

Leukotriene inhibitors and H1 Receptors

### **Levocetirizine**

Reduces vascular permeability.  
Inhibits the release of Histamines into the airways

**\* Symptoms of Allergic Rhinitis (Seasonal and Perennial)**

**\* As Prophylaxis in Seasonal Allergic Rhinitis**

**\* Treatment of Comorbid Asthma & Allergic Rhinitis**







REVITALIZE THE BODY & INCREASE PROTECTION LEVEL

# LYCOWAY

Each Soft Gelatin Capsule Contains : Black Grape Seed Extract 10 mg, Lycopene 10% USP 4000 mcg, Lutein 10% USP 4000 mcg, Betacarotene 30% USP 5.17 mg, Selenium Dioxide Monohydrate USP 25 mcg & Monohydrate Excipients 10 IP 10 mg **Softgel Capsules**



## LYCOWAY PLUS

Each Soft Gelatin Capsule Contains : Black Grape Seed Extract 25 mg, Lycopene 10% 8 mg, Lutein 10% 4 mg, Vitamin C 50 mg, Selenium Dioxide 70 mcg, Methylcobalamin 750 mcg, Betacarotene 30% 5 mg, Excipients Q.S. **Softgel Capsule**

## LYCOWAY

Lycopene 10% 2000 mcg, Niacinamide ip 25 mg, Folic Acid ip 100 mcg, Selenium(As Sodium Selenate) 35 mcg, Zinc (As Zinc Gluconate USP) 3 mg, Copper 500 mcg, (As Cupric Sulphate USP) Iodine 100 mcg, (AS Potassium Iodine IP), Vitamin B12 IP 1 mcg, Vitamin B6 IP 1.5 mg **Syrup**

### GRAPE SEED EXTRACT

Reduce total cholesterol, LDL and Ox-LDL

### LYCOPENE

Decreases lipid peroxidation and oxidative stress

### LUTEIN

Reduce CVD risk by increasing plasma antioxidant capacity

### VITAMINS & MINERALS

Improve different immune function

✓ **HIGH OXIDATIVE STRESS**

✓ **HYPERLIPIDEMIA**


✓ **CONVALESCENCE**

✓ **CARDIOVASCULAR PROBLEMS**

✓ **DIABETES AND OBESITY**







PAIN ASSOCIATED WITH NEUROPATHIC CONDITIONS

# Mecocob·P

Methylcobalamin 750 mcg & Pregabalin 75 mg **Capsules**

## Mecocob Mecocob·G

Methylcobalamin 1500 mcg, Alpha Lipoic Acid 100 mg, Thiamine Hcl 10 mg,  
Pyridoxine 3 mg, & Folic Acid 1.5 mg **Capsule**  
Methylcobalamin 1500/2500 mcg **Injection/Tablets**

Methylcobalamin 500 mcg & Gabapentin 300 mg **Tablets**  
Methylcobalamin 750 mcg & Gabapentin 75 mg **Capsules**

## Mecocob·M Mecocob·C

Methylcobalamin 1000 mcg, Pyridoxine hydrochloride 100 mg,  
Nicotinamide 100 mg & Benzyl Alcohol 2% V/v **Injection**

Vitamin-C, Folic Acid, Methylcobalamin Niacinamide **Injection**

### Pregabalin

- It is related to the brain chemical gamma amino butyric acid (gaba) use in neuropathic pain.
- Effective in treating chronic pain disorders such as fibromyalgia and spinal cord injury.

### Methylcobalamin

- Promotes nerve regeneration or remyelination.
- Reduces continuous pain and allodynia in post-herpetic neuralgia.

- \* **Diabetic Neuropathy**
- \* **Post-Herpetic Neuralgia**
- \* **Drug-Induced Neuropathy**
- \* **Trigeminal Neuralgia**
- \* **Alcoholic Neuropathy Dementia**





FOR PAIN & FEVER .... IN CHILDREN

# MEF ▶ P

Mefenamic 50 mg & Paracetamol 125 mg **Tablets/Suspension**

# MEF ▶ DS

Mefenamic 100 mg & Paracetamol 250 mg **Suspension**

**A stronger antipyretic effect**

2.5 times stronger antipyretic than PCM or aspirin.

**An additional neuroprotective superiority**

Exerts protective on oxidative stress (Due to fever, inflammation & pain) induced neurotoxicity

**Safe & well-tolerated**

Both Paracetamol & Mefenamic Acid are safe & well tolerated

- \* Pyrexia**
- \* Teething Pain**
- \* Spasmodic Pain**
- \* Minor Bruises, Cuts & Injuries**







*Destroy The Destructive Potency...  
of Life Threatening Infections*

# **MEROWAY** <sup>500</sup> 1GM

Meropenem 500 mg/1 gm **Injection**

- ▲ Ultra broad spectrum antibiotic specifically for meningitis and pneumonia
- ▲ High efficiency rates of 71% against E. faecalis in patients with complicated intra-abdominal infections
- ▲ Clinical responses in adults with meningitis are 98% cephalosporins.  
The Medical Letter. 1996;38(984):88-90
- ▲ 79- 99% effective in uncomplicated and complicated UTI  
DRUGS. 1995;50(1):73-101
- ▲ Highly effective in all types of respiratory tract infections  
DRUGS. 1995;50(1):73-101

- **SKIN & SKIN STRUCTURE INFECTIONS** ● **GYNECOLOGICAL INFECTIONS**
- **INTRA-ABDOMINAL INFECTIONS** ● **PELVIC INFLAMMATORY DISEASE**
- **BACTERIAL MENINGITIS** ● **BACTERIAL SEPTICEMIA**







# BROAD RANGE ANTIBIOTIC

# MIKAZAC

Amikacin 100/250/500 mg **Injection**

- ❖ Broad Spectrum aminoglycoside
- ❖ Faster onset of action..within Minutes  
Can be combined with 3rd generation cephalosporins
- ❖ Unique Profile
- ❖ Resistance to the amino glycoside inactivating enzyme
- ❖ Active against nearly allstrains of klebsiella,
- ❖ Enetrobacter & E.coll that are resistance to  
Gentamicin & Tobramycin

## INDICATION

- **RTI & UTI**
- **Meningitis**
- **Septicaemia**
- **Diarrhoea & Dysentery**
- **Peritonitis**
- **Bacteraemia**
- **Nosocomial Infections**



In Pre & Post Operative Care...

# Moxiget

Moxifloxacin Eye drops IP


## Moxiget-K

Moxifloxacin Hydrochloride 0.5% w/v,  
Ketorolac Tromethamine Benzalkonium 0.5% w/v &  
Chloride Solution 0.02% w/v Eye drops

- ▲ Achieves effective concentration in aqueous humor.
- ▲ Broadest coverage of micro-organisms.
- ▲ Excellent patient compliance.
- ▲ Achieves rapid pain relief
- ▲ No fear of IOP increase.

**\* Bacterial Conjunctivitis \* Blepharitis**  
**\* Post Operative Inflammation**





Does Not Let Congestion  
Disturb Your Life

# NASOWAY

Sodium Chloride Naasal Drops

- Commonly used as an adjunct to medical therapy.
- Safe and well tolerated. Arch Otolaryngol Head neck Surg.
- Useful tool to moisten and irrigate the sinuses.
- Helps Liquefy secretions and decrease the risk of crusting in the sinus cavities.

*Indication*

**\* Sinusitis \* Rhinitis \* Common Cold**







# PAIN, DAMAGE TO THE NERVES

# NERVWAY NT

Pregabalin 75 mg & Nortriptyline 10 mg **Tablets**

**NERVWAY**  
Ayurvedic Brain Tonic



## **Nortriptyline**

"Recently, an evidence based guideline sponsored by the international association for study of pain recommends Nortriptyline as a first line medication for neuropathic pain."

Mayoclinic proceedings 85 (3 Suppl.) : S3-14

## **Pregabalin**

Effective at treating chronic pain in disorders such as fibromyalgia & spinal cord injury.

Arthritis Rheum 52(4): 1264-73, 2005

Nurology 67(10): 1792-800: 2006

Significantly decreases the incidences of chronic pain while increasing & expediting patient mobility.

Increase in duration of analgesia, reduction in total post operative requirements of analgesics in neuropathic pain as well as postoperative pain.

**\* Diabetic Neuropathy \* Postherpetic Neuralgia \* Fibromyalgia**  
**\* Neuropathic Pain Associated with Spinal Cord Injury**





PERFECT SOLUTION FOR  
MIXED INFECTIONS

# OFLOGET•OZ

Ofloxacin 200 mg & Ornidazole 500 mg **Tablets**

# OFLOGET•MS

Ofloxacin 50 mg, Metronidazole 120 mg & Simethicone 10 mg **Suspension**

# OFLOGET OFLOGET

Ofloxacin 200 mg **Tablets**  
Ofloxacin 50 mg/5 ml **Suspension**

Ofloxacin **Ear/Eye Drops**

- Ensures broader spectrum of activity against both aerobes & anaerobes.<sup>1</sup>
- Highly effective for treatment of enteritis caused by anaerobic bacteria.<sup>2</sup>
- Significantly improves compliance since with simpler dose administration.

**GASTRO INTESTINAL INFECTIONS | GYNAECOLOGICAL INFECTIONS**  
**SURGICAL WOUND INFECTIONS | URINARY TRACT INFECTIONS**  
**MIXED INFECTIONS OF AEROBES & ANAEROBIC ORIGIN**

1. Trends in Medical Research, 2009, 4(2):30-34

2. A. Behl, M. Ahuja, A.S. Dhake, Indian J. Pharm Sci, 67(2005)479.







CURB THE ACID RIGHT FROM THE START

**OMIDAC**

Omeprazole 20 mg Capsule

**OMIDAC-D**

Omeprazole 20 mg &  
Domperidone 10 mg Capsule

**OMIDAC-DSR**

Omeprazole 20 mg &  
Domperidone 30 mg (SR) Capsule

Provides superior relief of night-time pain when compared to ranitidine.<sup>1</sup>

Significantly heals more ulcer than with ranitidine 150 mg b.i.d..<sup>1</sup>

Provides fast and long lasting symptom relief.<sup>2</sup>

Effective and safe in acid induced peptic disease.<sup>2</sup>

- ▲ **DUODENAL ULCER**
- ▲ **GASTRIC ULCER**
- ▲ **SYMPTOMATIC GERD**
- ▲ **EROSIVE ESOPHAGITIS**
- ▲ **DYSPEPSIA**
- ▲ **STRESS GASTRITIS**

1. Scand J Gastroenterol Suppl. 1989; 166:58-62; discussion 74-5  
2. MMW Fortschr Med.. 2012 Dec. 17;154 Suppl 4:110







**STOP** THE FORCED EXPULSION WITH

**ONDiSTOP MD**

Ondansetron 4 mg **Mouth Dissolving Tablets**

**ONDiSTOP** Drops  
Ondansetron 2/4 mg/5 ml **Drops**

**ONDiSTOP** Inj.  
Ondansetron 2 mg **Injection**

- More effective than metoclopramide in reducing postoperative vomiting.<sup>1</sup>
- Effective in treatment of vomiting in patients receiving cytotoxic agents for cancer.<sup>2</sup>
- Reduces risk of vomiting and intravenous rehydration in children with gastroenteritis.<sup>3</sup>

**NAUSEA AND VOMITING ASSOCIATED WITH**

▲ **CANCER CHEMOTHERAPY** ▲ **POSTOPERATIVE CONDITIONS**  
▲ **RADIOTHERAPY** ▲ **GASTROENTERITIS**

1. Anesth Analg. 1999 Jun;88(6):1370-9.

2. BMC Pediatr. 2011;11:15

3. Aliment Pharmacol Ther. 2007 Feb 15;25(4):393-400





A DISTINGUISH CALCIUM THERAPY

# OZICAL

Calcium Carbonate 1250 mg. eq. to Elemental Calcium 500 mg. & Vitamin D3 250 IU **Tablets**

## OZICAL D3 PLUS

Calcium Citrate 1000 mg, Vit D3 200 I.U.,  
Zinc 4 mg & Magnesium 100 mg **Tablets**

## OZICAL K27

Calcium Citrate 1000 mg, Calcitriol 0.25 mcg, Methylcobalamin 1500 mcg, Vitamin K<sub>2</sub> 100 mcg,  
Vitamin D3 200 IU, Zinc (as Zinc Sulphate) 7.5 mg,  
Boron 3 mg & Magnesium (As Magnesium Hydroxide) 100 mg **Tablets**

## OZICAL PLUS

Calcium Carbonate 500 mg, Calcitriol 0.25 mcg & Zinc 7.5 mg **Softgel Capsules**

## OZICAL D3

Cholecalciferol 60000 IU **Tablets/Softgel Capsules/Sachet**

## OZICAL

Calcium Carbonates 625 mg, Magnesium 180 mg,  
Zinc Gluconate 2 mg & Vitamin D3 200 IU. **Drops**

## OZICAL MAX

Calcitriol 0.25 mcg, Fish Oil, Rich in Omega-3 Acids Containing : Eicosapentaenoic Acid 180 mg,  
Docosahexaenoic Acid 120 mg, Methylcobalamin 1500 mcg, Folic Acid 400 mcg, Boron 1.5 mg &  
Calcium Carbonate 500 mg **Softgel Capsule**

### CALCIUM CARBONATE

Higher % age elemental calcium than other calcium salts  
Overcomes negative calcium balance & improves BMD

### VITAMIN D3

Plays a major role in calcium absorption and  
bone health Increases  
muscle strength & decreases the number of falls

Calcium reduces the risk of Hip fractures &  
other nonvertebral  
fractures among elderly women.

(N. Engl. J. Med 1992 Dec 3;327 (23): 1637-42)

- \* FRACTURES & DISLOCATIONS
- \* STUBBORN BACKACHE
- \* PAIN AROUND HIP & KNEES
- \* OSTEOPOROSIS
- \* POST MENOPAUSAL SYNDROME







WHEN RESISTANT INFECTION  
TAKES TIME TO CONTROL

**Ozicef-T** **1.125**  
**281.25**

Ceftriaxone 1/250 gm & Tazobactam 125/31.25 mg Injection

**Ozicef** **250** **500** **1000**

Ceftriaxone 250/500/1000 mg Injection

**Ozicef-S** **1.5 Gm** **375 Mg** **750 Mg**

Ceftriaxone 1 gm & Sulbactam 500 mg Injection  
Ceftriaxone 250/500 mg & Sulbactam 125/250 mg Injection

- Tazobactam improves the spectrum of activity & efficacy of ceftriaxone, thus it makes a useful addition to the therapeutic armamentarium of the Indian clinicians.
- Bacteria's which are resistant to or less susceptible to ceftriaxone sulbactam shows higher success rate with ceftriaxone-tazobactam.
- Ceftriaxone/Tazobactam should be utilized first as empirical treatment against klebsiella.


**\* Lower Respiratory Tract Infections**

**\* Skin & Skin-structure Infection \* Gynecological Infections**

**\* Bacteria Septicaemia \* Urinary Tract Infections**







DUAL ACTION AGAINST NAUSEA & HYPERACIDITY

# Pantacip<sup>®</sup> DSR

Pantoprazole 40 & Domperidone 30mg (SR) Capsule

**Pantacip<sup>®</sup> 40**      **Pantacip<sup>®</sup> D**

Pantoprazole 40 mg **Tablets**

Pantoprazole 40 & Domperidone 10 mg **Tablets**

## Pantacip

Pantoprazole 40 mg **Injection**

**PANTOPRAZOLE** : Effective over full 24 hours in treatment of gastroesophageal reflux disease.<sup>1</sup>  
Well tolerated in variety of patient types.<sup>1</sup>

**DOMPERIDONE** : Alleviates satiation, bloating and nausea by accelerating gastric emptying.<sup>2</sup>

- \* GASTROESOPHAGEAL REFLUX DISEASE
- \* NON-EROSIVE GERD \* NSAIDs INDUCED GASTRITIS
- \* CHRONIC GASTRITIS/FUNCTIONAL DYSPESIA
- \* NAUSEA ASSOCIATED WITH ACID PEPTIC DISORDERS

1. Clin Ther. 2000 Oct;22(10):1169-85; discussion 1149-50.  
2. Rom J Intern Med. 2010;48(1):9-15.





GET THE VICTORY OVER PAIN & FEVER WITH ..

# PARASYM

Paracetamol 250 mg **Suspension**

## PARASYM-M

Mefenamic Acid 50 mg & Paracetamol 125 mg **Suspension**

- ▲ The most widely used pain reliever and fever reducer.<sup>1</sup>
- ▲ Alleviates pain in patients with osteoarthritis.<sup>2</sup>
- ▲ Good tolerability profile in pregnancy.<sup>3</sup>
- ▲ Safe and effective pain killer for many patients including asthmatics.<sup>4</sup>

**HEADACHE | MIGRAINE | TOOTHACHE  
NEURALGIA | DYSMENORRHEA  
OSTEOARTHRITIS | MUSCULAR ACHES**

1. Pharm. J. 1993, 250, 706-707

2. Current Rheumatology Reports 2000, Volume 2, Issue 6, pp 454-458

3. Drug Saf. 2005;28(3):227-40.

4. MCA information bulletin, Thorax paper, March 21, 2000.







ACIDITY AND REFLUX IS A FUMING SITUATION

# Rabeway ▶ DSR

Rabeprazole 20 mg & Domperidone 30 mg (SR) Capsule

## Rabeway ▶ IT

Rabeprazole 20 mg & Itopride Hydrochloride 150 mg SR Capsules

## Rabeway ▶ LS

Rabeprazole Sodium Ip 20 mg & Levosulpiride 75 mg (SR) Capsule

## Rabeway

Rabeprazole 20 mg Tablets  
Rabeprazole Sodium 20 mg Injection

## Rabeway ▶ D

Rabeprazole 20 mg & Domperidone 10 mg Tablets

A PROLONGED APPROACH TO ACIDITY & REFLUX

### RABEPRAZOLE

High clinical efficacy in patients with functional dyspepsia.<sup>1</sup>  
Achieves optimal acid suppression since first administration.<sup>2</sup>

### DOMPERIDONE

Reduces severity of nocturnal dyspeptic symptoms in patients with functional dyspepsia.<sup>3</sup>  
Accelerates gastric emptying.<sup>4</sup>

**Functional Dyspepsia | Non-erosive Reflux Disease**  
**Gastroesophageal Reflux Disease | Gastric Or Duodenal Ulcer**

1. Adv Ther. 2000 Jul-Aug; 17(4):190-4.

2. Ther Clin Risk Manag. Jun 2007; 3(3):363-379.

3. World J Gastroenterol 2010 Feb 7; 16(5):613-7.

4. J Gastroenterol Hepatol. 2006 No.; 21(11):1664-8.







PUT THE STRENGTH IN DEBILITATED  
MUSCLE WITH...

**SKYDEC** **25**  
**50**

Nandrolone Decanoate 25/50 mg **Injection**

- Increases muscle mass & hemoglobin levels.<sup>1</sup>
- Reduces the vertebral fracture rate.<sup>1</sup>
- Increases calcium balance & diminishes vertebral pain.<sup>2</sup>
- Inhibits bone resorption with increase in bone formation.<sup>2</sup>

*As an anabolic steroid in*

- \* **Muscle Wasting Disease** \* **Negative Nitrogen Balance States**
- \* **After Major Surgery/Severe Trauma** \* **In Hypogonadal Males**
- \* **Osteoporosis Due to Androgen Deficiency**

1. The J.of Gerontology; 2004,60(5),648-653

2. Clinical Rheumatology, 1995, 14(3),32-39





WHEN DUO HEMOGLOBIN NEEDS SPECIAL CARE...

# SKYFOLZ

Carbonyl Iron 100 mg, Zinc 61.8 mg,  
Folic Acid 1.5 mg & Vit B12 15 mcg **Capsule**

# SKYFOLZ

Carbonyl Iron 50 mg, Zinc Sulphate Monohydrate 3.1 mg,  
Cyanocobalamin 1 mcg, Folic Acid 0.5 mg **Suspension**

## Carbonyl Iron

98% pure and easily absorbed form of iron for treating iron deficiency, microcytic, hypochromic anemia with no risk of iron poisoning.

Significant role in normal growth and development during pregnancy and childhood

## Zinc

Regulates blood loss by enhancing wound healing.  
Improves iron status in body, treatment iron deficiency anemia.

## Folic Acid

Helps in making new blood cells and prevent neural tube defects.

## Vitamin B12

Vitamin healthy nerve cells and red blood cells

**\* PREGNANCY & LACTATION**

**\* IRON DEFICIENCY ANEMIA**

**\* EXCESS BLOOD IN SURGERY**

**\* MEGALOBlastic ANEMIA**





MAINTAIN THE GUT HARMONY

# SKYLACT

Prebiotic & Probiotic **Capsule**

# SKYLACT

Prebiotic & Probiotic **Sachet**

## **Probiotic**

Inhibits the growth of harmful bacteria  
Promotes the growth of  
friendly bacteria

## **Prebiotic**

Favours the growth of probiotics  
Enhances the value  
of probiotics.

**\* DIARRHOEA & DYSENTERY**

**\* IBS \* VAGINOSIS**

**\* IMMUNITY BOOSTER**

**\* ORAL ULCERS**







A POWERFUL LIVER TONIC FOR FAMILY

# SKYLIV

Silymarin With B-Complex **Tablets**

Each 5 ml. Contains : Silymarin 35 mg, Thiamine Hcl 2 mg, Riboflavine 1.5 mg, Pyridoxine Hcl 1.5 mg, Niacinamide 20 mg, D-Panthenol 5 mg, Vit B12 1 mcg & Protein 10% 20 mg **Syrup**



## SKYLIV L

Silymarin, L-Ornithine, L-Aspartate, Vitamins & Niacinamide **Capsule**  
Silymarin 35 mg, L-Ornithine L-Aspartate 125 mg, Thiamine Hcl 1.4 mg, Riboflavin 1.5 mg, Pyridoxine Hydrochloride 1.5 mg, Cyanocobalamin (Vit B12) 1 mcg, D-Panthenol 5 mg, Niacinamide 18 mg, Protein 10% 20 mg **Syrup**

## SKYLIV C

Cyproheptadine Hcl 2mg & Tricholine Citrate 275 mg **Syrup**

## SKYLIV C

Cyproheptadine Hcl & Tricholine Citrate **Drops**

### SILYMARIN

For those needing extra support and protection, our milk thistle sport formula.

### B-COMPLEX

For Healthy cholesterol, Healthy Heart  
Healthy Liver, Immune System.  
Blood sugar Support.  
Digestive wellness and antioxidants.

### INDICATION

**HEPATITIS A, CHRONIC ACTIVE HEPATITIS, FATTY LIVER, CARBON TETRACHLORIDE POISONING AND MUSHROOM POISONING SUPPOTIVE THERAPY IN CIRRHOSIS AND ALCOHOLIC LIVER DISEASE.**





DON'T WAIT IN PAIN

# SKYNIM-P

Nimesulide 100 mg & Paracetamol 325 mg **Tablets**

PROVIDES RELIEF IN MINIMUM TIME

### **Nimesulide**

Exhibits rapid onset of action within 15 minutes

Possesses favourable gastric safety profile compared to other NSAIDs

### **Paracetamol**

Faster onset of action provides rapid relief from fever

Effective in the management of mild to moderate pain

**\* Low Back Pain \* Dental Pain \* Sports Injury**  
**\* Fever \* Osteoarthritis \* Dysmenorrhoea**







FOR HARD TO BREAK PATHOGENS

# SKYPIT

Piperacillin 4 gm & Tazobactam 0.5 gm **Injection**

## PIPERACILLIN

Broad spectrum cephalosporin antibiotic works by stopping the growth of bacteria

## TAZOBACTAM

$\beta$ -lactamase inhibitor enhances the effectiveness of piperacillin

- \* **NOSOCOMIAL PNEUMONIA \* COMMUNITY-ACQUIRED PNEUMONIA**
- \* **PELVIC INFLAMMATORY DISEASE \* FEBRILE NEUTROPENIA**
- \* **SKIN & SKIN STRUCTURE INFECTIONS \* POSTPARTUM ENDOMETRITIS**







NEW THERAPY FOR INJECTION  
**SKYTHER LM**

Artemether 80 mg & Lumefantrine 480 mg Tablets

**SKYTHER**

$\alpha$ - $\beta$  Arteether 150 mg Injection

- Fast acting drug with short half life.
- High level of resistance to sulfadoxine pyrimethamine & amodiaquine.  
- Study by the london school of hygiene & tropical medicine 23 Apr: 2005.
- Highly effective & well tolerated anti malarial that achieves cure rate of upto 95% even in multi drug resistance malaria.
- Six dose recommended by WHO for treating un-complicated malaria.

• **M.D.R MALARIA** • **CEREBRAL MALARIA** • **FALCIPARUM MALARIA**





NOURISHING SUPPORT FOR COMPLETE HEALTH

# SKYVIT DROP SUGAR free

Multivitamins & Multiminerals With L-Lysine Drops

## SKYVIT 5G

Each Soft Gelatin Capsule Contains (Approx). Green Tea Extract 10 mg, Ginkgo Biloba 10 mg, Ginseng 42.5 mg, Grape Seed Extract 15 mg, Garlic Extract 20 mg, DHA 60 mg, EPA 90 mg, Antioxidant, Vitamins, Minerals & Trace elements

## SKYVIT B

Each 5 ml Contains : Pyridoxine Hydrochloride IP 0.75 mg, Nicotinamide IP 15 mg, Cyanocobalamin IP 2 mcg, Lysine Hydrochloride USP 37.5 mg, Sorbitol (70%)

## SKYVIT +

Each Soft Gelatin Capsule Contains : Ginseng Extract Powder 42.5 mg, (Highly Concentrated Standardized Ginseng Extract Corresponding To 212.5 mg. Of Root Panax Ginseng), Vitamin A (As Palmitate) 2500 IU, Vitamin B1 1 mg, Vitamin B2 1.5 mg, Vitamin B6 1 mg, Vitamin B12 1 mcg, Vitamin D3 200 IU, Vitamin C 15 mg, Calcium Pantothenate 5 mg, Nicotinamide 5 mg, Folic Acid 0.15 mg, Fumerate 30 mg, Zinc Oxide 10 mg, Calcium 75 mg, Magnesium, (As Magnesium Sulphate) 3 mg, Manganese (As Manganese Sulphate) 0.5 mg, Phosphorus 58 mg, Potassium (As Potassium Sulphate) 2 mg, Copper (As Copper Sulphate) 0.5 mg, Iodine (As Potassium Iodide) 0.1 mg approved Colours Used In Empty Capsule Shells.

## SKYVIT +

(Kesar & Elaichi Flavour) with DHA Protein Powder

## SKYVIT FORTE

Methylcobalamin 1500 mcg, Vitamin D3 25 mcg, Calcium Pantothenate 50 mcg, Vitamin E 20 mg, L-Methylfolate 1 mg, Betacarotene 20 mg, Lycopene 3000 mcg, Zinc Sulphate 22.5 mg, Vitamin B1 1400 mcg, Vitamin B2 1500 mcg, Vitamin B6 1000 mcg, Vitamin C 50 mg, Chromium 196 mcg, Niacinamide 25 mg, Magnesium 2 mg, Iodine 150 mcg, Copper 1.35 mg, Sodium Selenate 40 mcg & ALA 100 mg Syrup

### ANTIOXIDANT

- Fights the free radicals.
- Reduces oxidative stress.

### MINERALS

- Boost the immune system.
- Promotes bone minerals density.

### VITAMIN

- Improves the body's resistance to stress
- \* GENERAL DEBILITY \* CNS DISORDERS
- \* CONVALESCENCE \* CORONARY HEART DISEASE
- \* MACULAR DEGENERATIVE DISEASE







REMOVE THE SUFFER FROM  
OCCASIONAL DIGESTIVE PROBLEMS

# SONALIV

Ayurvedic Liver Tonic/Tablets

*SUGAR*  
*free*

- ▶ Improves digestion & assimilation.
- ▶ Protects the liver from infective and toxic hepatitis due to infection, drugs, chemicals & alcohol etc.
- ▶ Helps repair liver cells damaged by alcohol & other toxins & also helps prevent liver cells from degenerating.
- ▶ Increases production of new liver cells and sparing glutathione and superoxide dismutase (important immune modulators for HCV infection) from becoming depleted.  
J Lab Clin Med. 1995;126:350-352
- ▶ More effective against hepatitis
- ▶ Improves speed of recovery.

**Checks Hepatitis, Hepato-cellular Damage, Catarrhal Jaundice,  
Cirrhosis of Liver & Prevents Further Necrosis**







FREEDOM FROM DIGESTIVE BURDEN

**SONAZYME** ▶ **FP**

Fungal Diastase 50 mg & Pepsin 10 mg Syrup/Drops

*free* SUGAR

**SONAZYME** ▶ **FP PLUS** **SONAZYME**

Fungal Diastase 50 mg, Pepsin 10 & B Complex mg Syrup

Ayurvedic Digestive Enzyme Syrup

**FUNGAL DIASTASE :**


An effective digestive aid and helps in digestion of carbohydrate & starch. Corrects & improves digestion. Regulates Gastric & liver function. Enhances absorption of nutrients.

**PEPSIN :**

A digestive protease active at acidic pH. Degrades protein into peptides & amino acid. A proteolytic enzyme from natural vegetable source. Established restorative in indigestion. Suppresses growth of putrefactive microbes.

- \* **FLATULENCE** \* **FUNCTIONAL DYSPEPSIA** \* **INDIGESTION** \* **IMPAIRED DIGESTION**
- \* **ABDOMINAL DISCOMFORT** \* **PANCREATIC INSUFFICIENCY** \* **DYSPEPTIC SYMPTOMS**
- \* **BELCHING** \* **MINOR G.I. MALFUNCTION** \* **GASTRIC FUNCTION**





CRUSH STONE NATURALLY

# STONEHIT

Anti Stone **Syrup/Capsules**

**Kidney Purifier and Help in Stone Removing  
For More Effective & Safe Management**



- ▲ Reduces stone-forming substances like oxalic acid, calcium hydroxyproline.
- ▲ Causes disintegration of the calculi.
- ▲ Prevents urinary tract infections associated with urinary stones.
- ▲ Alleviate symptoms of painful and burning micturition.
- ▲ Prevents reformation of stones

**\* BURNING MICTURITION \* PAINFUL MENSES**  
**\* KIDNEY STONES \* RENAL STONE**  
**\* NON-SPECIFIC UTIS \* POOR RENAL FUNCTIONS**







FREEDOM FROM SNEEZING &  
ALLERGIC CONDITIONS...

# SYNCOLD ▶ PLUS

Paracetamol 325 mg, Diphenhydramine 25 mg, Phenylephrine Hcl 5 mg & Caffeine 30 mg **Tablets**

# SYNCOLD

Phenylephrine 2.5 mg, Chlorpheniramine 1 mg & Paracetamol 125 mg **Suspension**

### **PHENYLEPHRINE HCL :**

Treat nasal congestion (Allergic rhinitis, sinussitis & other reaction).

### **CHLORPHENDRAMINE :**

Used to treat common cold, flu, allergic or other breathing illness.

### **PARACETAMOL :**

Anti pyretic and analgesic.

### **DEXTROMETHORPHAN HBR :**

Most effective cough suppressant preparation.





TAKE THE CHARGE TO CURE HYPERTENSION

**Telmi·H**

Telmisartan 40 mg &  
Hydrochlorothiazide 12.5 mg **Tablets**

**Telmi·40**

Telmisartan 40 mg **Tablets**

**Telmi·AM**

Telmisartan 40mg &  
Amlodipine 5 mg **Tablets**

► **Telmisartan**

Dual mode of action may provide protective benefits against the cardiovascular  
Reduces pressure in the arteries to makes it easier for the heart to pump blood  
FDA approved to treat cardiovascular disease

► **Hydrochloride**

Improving the management of hypertension by reducing stroke & cardiovascular complications.

**Hypertension**  
**Congestive heart failure**

The combination of  
telmisartan/HCTZ is an effective  
& well tolerated treatment option  
for patients with hypertension.







POWERFUL ANTIFUNGAL AGENT

**TERBI** **250**  
**500**

Terbinafine 250/500 mg **Tablets**

Terbinafine Hcl 2% **Cream**

Fungicidal against dermatophytes, moulds and certain dimorphic fungi.

G Ital Dermatol Venereol, 2010 Jun; 145(3):415-24

Highly keratophilic with a bioavailability of 70% to 80%

G Ital Dermatol Venereol, 2010 Jun; 145(3):415-24

Treatment choice in the therapy of onychomycosis because of its effectiveness.

G Ital Dermatol Venereol, 2010 Jun; 145(3):415-24

Well tolerated with low potential for drug interactions.

G Ital Dermatol Venereol, 2010 Jun; 145(3):415-24

**TINEA CAPITIS | ONYCHOMYCOSIS**  
**FUNGAL INFECTIONS OF THE SKIN**





STOP INFLAMMATION, RELIEVE PAIN  
& ACCELERATE HEALING

# TRIO•BR

Trypsin, Bromelain & Rutoside Trihydrate Tablets

**Trypsin** : Anti inflammatory effect due to Inhibitory action on the vascular permeability.

**Rutoside** : Powerful anti-oxidants that combats harmful free radicals released during inflammation.

**Bromelain** : Lowers bradykinin, Prostaglandine & reduces pain.

**\* TRAUMA \* TOOTH EXTRACTION \* FRACTURES & DISLOCATIONS**  
**\* POST SURGICAL INFLAMMATION \* SPORTS INJURY**







EXPECTORATE THE MUCUS &  
RELAX THE CONSTRICTED BRONCHIOLES

# VOCUFF▶AM

Ambroxol 15 mg, Guaiphenesin 50 mg & Terbutaline 1.25 mg Syrup

## VOCUFF▶D

Dextromethorphan 10 mg, CPM 2 mg & Phenylephrine 5 mg Syrup

## VOCUFF▶BR

Terbutaline 1.25 mg, Bromhexine 2 mg, Guaiphenesin 50 mg & Menthol 0.5 mg Syrup

## VOCUFF▶LS

Levosulbutamol 1 mg, Ambroxol Hcl 30 mg & Guaiphenesin Syrup

## VOCUFF SUGAR free

Ayurvedic Cough Syrup

### AMBROXOL :

Promotes mucus clearance, facilitates expectoration, and eases productive cough.<sup>1</sup>

### TERBUTALINE :

Produces relaxation of bronchial smooth muscle & increases mucociliary clearance.

### GUAIPHENESIN :

Reduces viscosity of tenacious secretions and acts as an expectorant.<sup>2</sup>

### MENTHOL :

Imparts cooling effect on throat.

**\* BRONCHITIS \* BRONCHIAL ASTHMA \* EMPHYSEMA \* MUCUS PLUGGING**

1. Expert Opin Drug Metab Toxicol, 2008 Aug; 4(8): 1119-29

2. Chest. 2003 Dec; 124(6):2178-81.





KEEPING SPIRITS HIGH

# WELL 9

Methylcobalamin, L-methylfolate & Pyridoxal 5-Phosphate Tablets

ENSURE HEALTHY PREGNANCY

**METHYLCOBALAMIN :**

Acts as neuroprotective and regenerative neurons.  
Supports fetal heart, brain & eye development.

**L-METHYLFOLATE**

7 times more bio-available than folic acid.  
Needed to form healthy red blood cells.  
Lowers the risk of complication in pregnancy.

**PYRIDOXAL 5-PHOSPHATE**

5 times more absorbable than pyridoxine.  
Reduces the risk of preterm birth.

**NTD (Neural Tube Defect)**

**Pre-eclampsia**

**RBC Formation**

**Preterm Labour**






## Quality Control & Quality Assurance

All the products are manufactured in WHO-GMP certified manufacturing unit having strict quality control. Products are Tested by Aurgia Research Limited leading laboratory of Country for better Quality and Efficacy.




## Skyways Healthcare Pvt. Ltd.


(AN ISO 9001:2008 & GMP CERTIFIED CO.)

 **Head Office :** C-3, IInd Floor, Wazipur Industrial Area, Delhi-110052

**Corp. Office :** Nanhera Road, Ambala Cantt, Haryana, India-133004

 9416410771

 [www.skywayshealthcare@gmail.com](mailto:www.skywayshealthcare@gmail.com)

 [www.skywayshealthcare.com](http://www.skywayshealthcare.com)